





WITH HOSE PROTECTION COVER

WEIGHT: 12540.05

MATL RMS-		H.T.: N/A	COATING: N/A
REV. DATE			
REV. BY			
CK BY:			
APP. BY:			
DRAWN BY:	CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM			07-05-2026

UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES, .010 T.I.R.,
FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010,
ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA

REELPOWER DOUBLE 8" 150 DOCK REEL

DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.


SHEET 1 OF 3

REV.
A1


dockside double assy

SWIVEL FOR LINE HOOKUP
HOSE #2

HOSE DIVERTERS



SWIVEL FOR LINE HOOKUP
HOSE #1



WITHOUT HOSE PROTECTION COVER

WEIGHT: 12540.05

MATL RMS-		H.T.: N/A	COATING: N/A
REV. DATE			
REV. BY			
CK BY:			
APP. BY:			
DRAWN BY:	CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM			07-05-2026
UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES, .010 T.I.R., FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010, ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010			

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA




REELPOWER DOUBLE 8" 150 DOCK REEL

DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.

SHEET 2 OF 3

REV.
A1

dockside double assy



NOTES:

1. WEIGHT IS 12,541 LBS EST WITHOUT HOSE WEIGHT.
2. PROTECTION COVER 1670 LBS EST.

WEIGHT: 12540.05

MATL RMS-		H.T.: N/A	COATING: N/A
REV. DATE			
REV. BY			
CK BY:			
APP. BY:			
DRAWN BY:	CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM			07-05-2026
UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES, .010 T.I.R., FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010, ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010			

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA

REELPOWER DOUBLE 8" 150 DOCK REEL

DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.

SHEET 3 OF 3

REV.
A1

dockside double assy