





WITH HOSE PROTECTION COVER

WEIGHT: 9773.29

MATL RMS-		H.T.: N/A	COATING: N/A
REV. DATE			
REV. BY			
CK BY:			
APP. BY:			
DRAWN BY:	CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM			07-05-2026
UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES, .010 T.I.R., FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010, ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010			

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA


REELPOWER SINGLE 8" 150 DOCK REEL

DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.

SHEET 1 OF 3

REV.
A1

dockside single assy



WITHOUT HOSE PROTECTION COVER

WEIGHT: 9773.29

MATL RMS-		H.T.: N/A	COATING: N/A
REV. DATE			
REV. BY			
CK BY:			
APP. BY:			
DRAWN BY:	CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM			07-05-2026
UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES, .010 T.I.R., FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010, ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010			

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA



REELPOWER SINGLE 8" 150 DOCK REEL

DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.

SHEET 2 OF 3

REV.
A1

dockside single assy



- LIFT EYES FOR COMPLETE ASSEMBLY

$$17'-4\frac{1}{2}"$$
$$\frac{9'-1''}{2}$$

LOCAL CONTROL PANEL

Ø 14'-4"

Diagram illustrating a horizontal distance of 5'-5" (5 feet 5 inches) from a vertical line to a point.

— 4'-11"

$$15'-2\frac{3}{4}"$$


- REMOVABLE HOSE PROTECTION COVER

ROLLERS FOR HOSE MANAGEMENT



—FORKLIFT POCKETS

1. WEIGHT IS 9,774 LBS EST WITHOUT HOSE WEIGHT.
2. PROTECTION COVER 1,345 LBS EST.

MATL RMS-		H.T.: N/A	COATING: N/A	
REV. DATE				
REV. BY				
CK BY:				
APP. BY:				
DRAWN BY:		CHECKED BY:	APPROVED BY:	RELEASE DATE
JEM				07-05-2026
UNLESS OTHERWISE SPECIFIED, DIM. IN INCHES. Ⓢ .010 T.I.R., FRAC ±1/8, 1 PLACE ±.060, 2 PLACE ±.030, 3 PLACE ±.010, ANGLE ±0° 30', 125 RMS MAX, BREAK CORNERS .010				

REELPOWER
MARINE & ENERGY

HOUSTON, TX. USA

REELPOWER SINGLE 8" 150 DOCK REEL

**DRAWING & INFORMATION ARE
PROPERTY OF REELPOWER, INC.**

SHEET 3 OF 3

REV
A1

dockside single assy